



Katie M. Brown
Counsel

Duke Energy
40 W. Broad Street
DSC 556
Greenville, SC 29601

O: 864-370-5296
F: 864-370-5027

Katie.Brown2@duke-energy.com

October 30, 2020

VIA ELECTRONIC FILING

The Honorable Jocelyn G. Boyd
Chief Clerk/Executive Director
Public Service Commission of South Carolina
101 Executive Center Drive, Suite 100
Columbia, SC 29210

Re: Application Regarding the Acquisition of Progress Energy, Incorporated by Duke Energy Corporation and Merger of Progress Energy Carolinas, Incorporated and Duke Energy Carolinas, LLC
SAIDI and SAIFI Reliability Indices
Docket Number: 2011-158-E

Dear Ms. Boyd:

Pursuant to Regulatory Condition 11.3, on a quarterly basis Duke Energy Carolinas, LLC (“DEC”) and Duke Energy Progress, LLC (“DEP”) must provide to the Commission and to the Office of the Regulatory Staff the System Average Interruption Duration Index (“SAIDI”) and the System Average Interruption Frequency Index (“SAIFI”).

The tables below give the SAIFI and SAIDI results for DEC and DEP on a 12-month roll, with and without Major Event Day(s) (“MEDs”). The IEEE Standard 1366-2003 “Guide for Electric Power Distribution Reliability Indices” method is used for calculating these indices.

Jurisdiction	Date Range	Without MEDs		With MEDs	
		SAIFI	SAIDI	SAIFI	SAIDI
South Carolina Duke Energy Carolinas	12 Months Ending 9/30/20	1.09	186	1.46	433
South Carolina Duke Energy Progress	12 Months Ending 9/30/20	1.23	114	1.48	168

The Honorable Jocelyn G. Boyd
 October 30, 2020
 Page 2

Jurisdiction	Date Range	Without MEDs		With MEDs	
		SAIFI	SAIDI	SAIFI	SAIDI
South Carolina Duke Energy Carolinas	YTD 9/30/20	0.92	160	1.26	404
South Carolina Duke Energy Progress	YTD 9/30/20	1.10	101	1.35	155

Sincerely,



Katie M. Brown

cc: Ms. Nanette Edwards, Office of Regulatory Staff
 Ms. Dawn Hipp, Office of Regulatory Staff
 Mr. Michael Seaman-Huynh, Office of Regulatory Staff